



View/Print Fact Sheet In English Print



## Key Features

### Highlights

**Solstice GXP has an EPA-est. 28 MPG highway** with a 260hp turbocharged ECOTEC<sup>®</sup> 2.0L VVT engine and manual transmission

**Preferred Package**, includes power windows, power door locks and Remote Keyless Entry: standard on Convertible GXP, Coupe and Coupe GXP models

**Premium Package**, includes leather seating surfaces, three-spoke leather-wrapped steering wheel and steering wheel accessory controls

**Removable one-piece roof panel** (Coupe and Coupe GXP models only)

**Cruise control and fog lamps**, standard on Convertible GXP, Coupe and Coupe GXP models

**Air bags**,<sup>3</sup> frontal, driver and front passenger with Passenger Sensing System

**XM Radio**<sup>4</sup> comes standard with a three-month trial. XM turns your world on with commercial-free music channels, plus sports, news and talk, in amazing digital sound coast to coast.

**OnStar**,<sup>5</sup> the most comprehensive in-vehicle security, navigation, communications, and diagnostics system, standard for one year

**Solstice Street Edition Convertible**, includes an ECOTEC<sup>®</sup> 173hp 2.4L VVT engine, Club Sport Suspension, StabiliTrak<sup>®</sup>, exclusive Brazen (orange metallic) paint accented with black heritage stripes, orange stitching on seats, steering wheel and shifter boot, black headlamp bezels, black front grilles and premium 18-inch split-spoke polished aluminum wheels

**Bluetooth<sup>®</sup> for phone**,<sup>2</sup> personal cell phone connectivity to vehicle audio system and HMI (Human Machine Interface)

**Available Monsoon<sup>®</sup> premium seven-speaker system**, with two six-inch door speakers, two one-inch A-pillar tweeters, two 3.5-inch rear speakers and one subwoofer

**Available USB port radio**

**StabiliTrak<sup>®</sup>**, vehicle stability enhancement system, includes all-speed traction control and four-wheel antilock brakes

Powertrain	Solstice	Solstice GXP	Solstice Coupe	Solstice GXP Coupe
Final Drive Axle Ratio (:1)	3.91	3.73	3.91	3.73
Clutch Size	N/A	N/A	N/A	N/A
Reverse Ratio (:1)	3.67	3.67	3.67	3.67
Fifth Gear Ratio (:1)	0.73	0.73	0.73	0.73
Fourth Gear Ratio (:1)	1.00	1.00	1.00	1.00
Third Gear Ratio (:1)	1.37	1.37	1.37	1.37
Second Gear Ratio (:1)	2.26	2.26	2.26	2.26
First Gear Ratio (:1)	3.75	3.75	3.75	3.75
Trans Description Cont. Again				
Trans Description Cont.	Manual	Manual	Manual	Manual

Trans Type	5	5	5	5
Trans Order Code	MM5	MM5	MM5	MM5
SAE Net Torque @ RPM	167 @ 4500	260 @ 5300	167 @ 4500	260 @ 5300
SAE Net Horsepower @ RPM	173 @ 5800	260 @ 5300	173 @ 5800	260 @ 5300
Fuel System	SFI	SFI	SFI	SFI
Displacement	2.4L/145	2.0L/122	2.4L/145	2.0L/122
Engine Type	Gas 4-Cyl	Turbo Gas 4-Cyl	Gas 4-Cyl	Turbo Gas 4-Cyl
Engine Order Code	LE5	LNF	LE5	LNF
Cruising Range - Hwy	325.00	364.00	325.00	364.00
Cruising Range - City	247.00	247.00	247.00	247.00
EPA Fuel Economy Est - Hwy	25	28	25	28
EPA Fuel Economy Est - City	19	19	19	19
Drivetrain	Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Drive
M/T	Standard	Standard	Standard	Standard
A/T	Available	Available	Available	Available
5-Speed M/T	Standard	Standard	Standard	Standard
5-Speed A/T	Available	Available	Available	Available
Gasoline Fuel	Standard	Standard	Standard	Standard
Turbocharged	Not Available	Standard	Not Available	Standard
4 Cylinder Engine	Standard	Standard	Standard	Standard
Rear Wheel Drive	Standard	Standard	Standard	Standard
Locking Rear Differential	Standard	Standard	Standard	Standard
<b>Dimensions</b>	<b>Solstice</b>	<b>Solstice GXP</b>	<b>Solstice Coupe</b>	<b>Solstice GXP Coupe</b>
Trunk Volume	5.4 ft <sup>3</sup>	5.4 ft <sup>3</sup>	5.4 ft <sup>3</sup>	5.4 ft <sup>3</sup>
Liftover Height	N/A	N/A	N/A	N/A
Length, Overall	157.2 in	157.2 in	157.2 in	157.2 in
Front Hip Room	50.6 in	50.6 in	50.6 in	50.6 in
Min Ground Clearance	N/A	N/A	N/A	N/A
Second Leg Room	N/A	N/A	N/A	N/A
Tread Width, Rear	61.4 in	61.4 in	61.4 in	61.4 in
Tread Width, Front	60.7 in	60.7 in	60.7 in	60.7 in
Height, Overall	50.1 in	50.1 in	50.1 in	50.1 in
Wheelbase	95.1 in	95.1 in	95.1 in	95.1 in
Width, Max w/o mirrors	71.3 in	71.3 in	71.3 in	71.3 in
Front Head Room	38.5 in	38.5 in	38.5 in	38.5 in
Front Leg Room	42.7 in	42.7 in	42.7 in	42.7 in
Second Hip Room	N/A	N/A	N/A	N/A
Second Shoulder Room	N/A	N/A	N/A	N/A
Second Head Room	N/A	N/A	N/A	N/A
Front Shoulder Room	52.4 in	52.4 in	52.4 in	52.4 in
Passenger Volume	50 ft <sup>3</sup>	50 ft <sup>3</sup>	50 ft <sup>3</sup>	50 ft <sup>3</sup>
Passenger Capacity	2	2	2	2
<b>Exterior</b>	<b>Solstice</b>	<b>Solstice GXP</b>	<b>Solstice Coupe</b>	<b>Solstice GXP Coupe</b>
Tires - Rear Performance	Standard	Standard	Standard	Standard

Tires - Front Performance	Standard	Standard	Standard	Standard
Targa Roof	Not Available	Not Available	Standard	Standard
Rear Wheel Material	Aluminum	Aluminum	Aluminum	Aluminum
Front Wheel Material	Aluminum	Aluminum	Aluminum	Aluminum
Rear Wheel Size	18 x 8 in	18 x 8 in	18 x 8 in	18 x 8 in
Front Wheel Size	18 x 8 in	18 x 8 in	18 x 8 in	18 x 8 in
<b>Interior</b>	<b>Solstice</b>	<b>Solstice GXP</b>	<b>Solstice Coupe</b>	<b>Solstice GXP Coupe</b>
Bucket Seats	Standard	Standard	Standard	Standard
Leather Seats	Available	Available	Available	Available
Cloth Seats	Selected	Selected	Selected	Selected
CD Player	Standard	Standard	Standard	Standard
CD Changer	Available	Available	Available	Available
AM/FM Stereo	Standard	Standard	Standard	Standard
<b>Safety</b>	<b>Solstice</b>	<b>Solstice GXP</b>	<b>Solstice Coupe</b>	<b>Solstice GXP Coupe</b>
Driver Air Bag	Standard	Standard	Standard	Standard
Traction Control	Standard	Standard	Standard	Standard
Daytime Running Lights	Standard	Standard	Standard	Standard
Auto-On Headlights	Standard	Standard	Standard	Standard
Electronic Stability Control	Standard	Standard	Standard	Standard
Passenger Air Bag On/Off Switch	Standard	Standard	Standard	Standard
Passenger Air Bag	Standard	Standard	Standard	Standard
<b>Chassis</b>	<b>Solstice</b>	<b>Solstice GXP</b>	<b>Solstice Coupe</b>	<b>Solstice GXP Coupe</b>
Drum - Rear (Yes or )				
Fuel Tank Capacity, Approx	13	13	13	13
Rear Brake Rotor Diam x Thickness	10.9 x 0.5	10.9 x 0.5	10.9 x 0.5	10.9 x 0.5
Front Brake Rotor Diam x Thickness	11.7 x 1.0	11.7 x 1.0	11.7 x 1.0	11.7 x 1.0
Disc - Rear (Yes or )	Yes	Yes	Yes	Yes
Disc - Front (Yes or )	Yes	Yes	Yes	Yes
Brake ABS System (Second Line)	N/A	N/A	N/A	N/A
Brake ABS System	4-Wheel	4-Wheel	4-Wheel	4-Wheel
Brake Type	Pwr	Pwr	Pwr	Pwr
Turning Diameter - Wall to Wall	N/A	N/A	N/A	N/A
Turning Diameter - Curb to Curb	35.0	35.0	35.0	35.0
Lock to Lock Turns (Steering)	2.7	2.7	2.7	2.7
Steering Ratio (:1), Overall	16.4	16.4	16.4	16.4
Aux Fuel Tank Capacity, Approx	N/A	N/A	N/A	N/A
Spare Wheel Material	N/A	N/A	N/A	N/A
Rear Wheel Material	Aluminum	Aluminum	Aluminum	Aluminum
Front Wheel Material	Aluminum	Aluminum	Aluminum	Aluminum
Spare Wheel Size	N/A	N/A	N/A	N/A
Rear Wheel Size	18 x 8	18 x 8	18 x 8	18 x 8
Front Wheel Size	18 x 8	18 x 8	18 x 8	18 x 8
Spare Tire Size	N/A	N/A	N/A	N/A
Rear Tire Size	P245/45R18	P245/45R18	P245/45R18	P245/45R18

Front Tire Size	P245/45R18	P245/45R18	P245/45R18	P245/45R18
Spare Tire Order Code				
Rear Tire Order Code	QFX	QSL	QFX	QSL
Front Tire Order Code	QFX	QSL	QFX	QSL
Stabilizer Bar Diameter - Rear	0.96	1.00	0.96	1.00
Stabilizer Bar Diameter - Front	1.07	1.31	1.07	1.31
Shock Absorber Diameter - Rear	N/A	N/A	N/A	N/A
Shock Absorber Diameter - Front	N/A	N/A	N/A	N/A
Suspension Type - Rear (Cont.)				
Suspension Type - Front (Cont.)				
Suspension Type - Rear	Independent	Independent	Independent	Independent
Suspension Type - Front	Independent	Independent	Independent	Independent
Base Curb Weight	2860	2976	2930	3018
Rear Drum Diam x Width				
Chrome Wheels	Available	Available	Available	Available
Aluminum Wheels	Standard	Standard	Standard	Standard
Power Steering	Standard	Standard	Standard	Standard
4-Wheel Disc Brakes	Standard	Standard	Standard	Standard
4-Wheel ABS	Standard	Standard	Standard	Standard
Tire Pressure Monitoring System	Standard	Standard	Standard	Standard
<b>Fuel</b>	<b>Solstice</b>	<b>Solstice GXP</b>	<b>Solstice Coupe</b>	<b>Solstice GXP Coupe</b>
EPA Fuel Economy Est - City	19 MPG	19 MPG	19 MPG	19 MPG
EPA Fuel Economy Est - Hwy	25 MPG	28 MPG	25 MPG	28 MPG
<b>Warranty</b>	<b>Solstice</b>	<b>Solstice GXP</b>	<b>Solstice Coupe</b>	<b>Solstice GXP Coupe</b>
Basic	3 Years/36,000 Miles	3 Years/36,000 Miles	3 Years/36,000 Miles	3 Years/36,000 Miles
Drivetrain	5 Years/100,000 Miles	5 Years/100,000 Miles	5 Years/100,000 Miles	5 Years/100,000 Miles
Corrosion	6 Years/100,000 Miles	6 Years/100,000 Miles	6 Years/100,000 Miles	6 Years/100,000 Miles
Roadside Assistance	5 Years/100,000 Miles	5 Years/100,000 Miles	5 Years/100,000 Miles	5 Years/100,000 Miles

[Build Your Own](#)



[Help Center](#) | [Contact Us](#) | [Request Information](#) | [Sitemap](#) | [GM Sites](#) | [RSS](#) | [Low Speed Version](#) | [Español](#)

© 2009 General Motors | [Copyright & Trademark Info](#) | [New Privacy Statement](#) | [Important Information](#)

- The Manufacturer's Suggested Retail Price excludes [destination freight charge](#), tax, title, license, dealer fees and optional equipment. [Click here to see all Pontiac vehicles' destination freight charges.](#)
- Go to [gm.com/bluetooth](http://gm.com/bluetooth) to find out which Bluetooth phones are compatible with the vehicle.
- Always use safety belts and the correct child restraint for your child's age and size. Even in vehicles equipped with air bags, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See your vehicle's owner's manual for more information.
- XM Radio requires a subscription, sold separately by Sirius/XM after the first 90 days. Not available in Canada, AK or HI. For more information, visit [gm.xmradio.com](http://gm.xmradio.com)
- Call 1-888-4-ONSTAR (466-7827) or visit [onstar.com](http://onstar.com) for details and system limitations.